

The goal of NAACLS Accredited Medical Laboratory Science Programs is to prepare graduates with the knowledge, critical thinking, technical skills, and professional capabilities for entry-level employment as a medical laboratory scientist.

Graduates of the program will demonstrate knowledge, technical, critical thinking skills and professionalism measured by

Graduation and attrition rates. Current three-year average 100%

Pass rate on the ASCP certification exam. Current three-year average 93.5%

Employer survey responses. Current three-year average 100%

Employment rates. Current three-year average 100%

Clinical Practicum Task Objective score. Current three-year average 4.81 (exceeds benchmark)

Clinical Practicum Core Abilities score. Current three-year average 4.85 (exceeds benchmark)

Academic year 2023-24

Number of graduates: 8

Current ASCP pass rate: 88%

Current employment rate: 100%

Current employer satisfaction rate: 100%

Academic year 2022-23

Number of graduates: 8

ASCP pass rate within a year of graduation: 100%

Employment rate within a year of graduation: 100%

Employer satisfaction rate: 100%

Academic year 2021-22

Number of graduates: 15

ASCP pass rate within a year of graduation: 93%

Employment rate within a year of graduation: 100%

Employer satisfaction rate: 100%

Academic year 2020-21

Number of graduates: 14

ASCP pass rate within a year of graduation: 85%

Employment rate within a year of graduation: 79%

Employer satisfaction rate: 100%