

The goal of NAACLS Accredited Medical Laboratory Science Programs is to prepare graduates with the knowledge, critical thinking, technical skills, and professional capabilities for entry-level employment as a medical laboratory scientist.

Graduates of the program will demonstrate knowledge, technical, critical thinking skills and professionalism measured by

Graduation and attrition rates. Current three-year average: 100%

Pass rate on the ASCP certification exam. Current three-year average 92%

Employer survey responses. Current three-year average 100%

Employment rates. Current three-year average 97%

Clinical Practicum Task Objective score. Current three-year average 4.91 (exceeds benchmark)

Clinical Practicum Core Abilities score. Current three-year average 4.85 (exceeds benchmark)

Year 2025

- Number of graduates: 11
- Current ASCP pass rate: 83%
- Current employment rate: 90%
- Current employer satisfaction rate: 100%

Year 2024

- Number of graduates: 2
- Current ASCP pass rate: 100%
- Current employment rate: 100%
- Current employer satisfaction rate: 100%

Year 2023

- Number of graduates: 10
- ASCP pass rate within a year of graduation: 90%
- Employment rate within a year of graduation: 100%
- Employer satisfaction rate: 100%

Year 2022

- Number of graduates: 13
- ASCP pass rate within a year of graduation: 92%
- Employment rate within a year of graduation: 100%
- Employer satisfaction rate: 100%