

The goal of NAACLS Accredited Medical Laboratory Science Programs is to prepare graduates with the knowledge, critical thinking, technical skills, and professional capabilities for entry-level employment as a medical laboratory technician.

Graduates of the program will demonstrate knowledge, technical, critical thinking skills and professionalism measured by

Graduation and attrition rates. Current three-year average: 100%

Pass rate on the ASCP certification exam. Current three-year average 100%

Employer survey responses. Current three-year average 100%

Employment rates. Current three-year average 100%

Clinical Practicum Task Objective score. Current three-year average 4.80 (exceeds benchmark)

Clinical Practicum Core Abilities score. Current three-year average 5.00 (exceeds benchmark)

Year 2025

- Number of graduates: 2
- Current ASCP pass rate: 100%
- Current employment rate: 100%
- Current employer satisfaction rate: 100%

Year 2024

- Number of graduates: 1
- Current ASCP pass rate: 100%
- Current employment rate: 100%
- Current employer satisfaction rate: 100%

Year 2023

- Number of graduates: 3
- ASCP pass rate within a year of graduation: 100%
- Employment rate within a year of graduation: 100%
- Employer satisfaction rate: 100%

Year 2022

- Number of graduates: 3
- ASCP pass rate within a year of graduation: 100%
- Employment rate within a year of graduation: 100%
- Employer satisfaction rate: 100%